

## SHOWER

Z94312

Soffione a getto fisso, Ø 250 mm. / Ø 250 mm shower head, simple jet.



Soffione Ø 250 mm in ottone, a getto fisso con sistema anticalcare. Spessore 8 mm. Ispezionabile.  
Water Saving - portata d'acqua uguale o inferiore a 9 l/min

Ø 250 mm brass shower head, with anti-limescale system. 8 mm thickness. Inspectionable.  
Water Saving - water flow rate of 9 L/min or less.

## SHOWER

Z94312

### Finiture / Finishes



Cromo / Chrome



**C3**

Nickel Spazzolato / Brushed Nickel



**C8**

Nickel Lucido / Polished Nickel




**C40**

Oro / Gold



**C41**

Oro spazzolato / Brushed Gold



**C50**

Metal Black / Metal Black



**C51**

Metal Black spazzolato / Brushed Metal Black



**W1**

Bianco Opaco Goffrato / Embossed Matt White



**N1**

Nero Opaco Goffrato / Embossed Matt Black



**N6**

Nero opaco / Matt black



**P21**

PVD brushed chocolate / PVD brushed chocolate



**P30**

British Gold PVD / British Gold PVD



**P31**

Brushed PVD British gold / Brushed PVD British gold



**P41**

PVD Oro Spazzolato / PVD Brushed Gold



**P60**

Platino PVD / Platinum PVD




**P80**

Total black PVD / Total black PVD



**P81**

Brushed total black PVD / Brushed total black PVD



**P90**

Copper PVD / Copper PVD



**P91**

Brushed PVD Copper / Brushed PVD Copper



**J3**

Glossy gesso / Glossy gesso



**K7**

Pearl cipria / Pearl cipria



**R6**

Pearl chili / Pearl chili



**V7**

Pearl salvia / Pearl salvia



**V8**


Matt mirto / Matt mirto

### Note / Notes

## SHOWER

Z94312

Disegno Complessivo / Overall Drawing




## SHOWER

Z94312

Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
P1 SOFFIONE SHOWER HEAD	8,5	9	9	9	9
P2					
P3					
P4					
P5					



## SHOWER

Z94312

Pesi e Misure / Weights and Sizes

Peso ( Kg ) Weight ( lb )	1,27 ( Kg )	2,80 ( lb )
Volume test ( dc3 ) - ( in3 )	5,19 ( dc3 )	316,96 ( in3 )
h ( mm ) - ( in )	70,00 ( mm )	2,76 ( in )
L1 ( mm ) - ( in )	265,00 ( mm )	10,43 ( in )
L2 ( mm ) - ( in )	280,00 ( mm )	11,02 ( in )

